


LEG LOAD SUMMARY
 Manufacturer: Waco Wedgelok
 Live load on scaffold: 25.00 lbs/ft²
 Live load effective area: 13.32 ft²
 Number of working levels: 1
 Number of planked levels: 6
 Total live load: 333.06 lbs per leg
 Total dead load: 1,052.80 lbs per leg
 Total load: 1,385.86 lbs per leg
 Allowable load: 3,500.00 lbs per leg
 Outside leg has higher load


ABBREVIATIONS
 lbs Pounds force
 psf Pressure, lbs per square foot
 P Plank
 PT Plank and toeboard
 T Toeboard
 TYP Typical
 REQD Required

SCAFFOLD PLAN AT PLATFORM LEVEL		
Waco Wedgelok Round Tank Scaffold		
Industrial Customer		
3/5/2003	3/32 in = 1 ft	Sheet: 2 of 5




SCAFFOLD SECTION A		
Waco Wedgelok Round Tank Scaffold		
Industrial Customer		
3/5/2003	1/8 in = 1 ft	Sheet: 3 of 5

DRAWING GENERATED WITH TRIAL SOFTWARE - NOT FOR CONSTRUCTION



ELEVATION AT OUTSIDE LEG		
Waco Wedgelok Round Tank Scaffold		
Industrial Customer		
3/5/2003	1/8 in = 1 ft	Sheet: 4 of 5

DRAWING GENERATED WITH TRIAL SOFTWARE - NOT FOR CONSTRUCTION



ELEVATION AT INSIDE LEG		
Waco Wedgelok Round Tank Scaffold		
Industrial Customer		
3/5/2003	1/8 in = 1 ft	Sheet: 5 of 5